

# Notice of Allowability

Application No.

10/062,303

Examiner

Jeffrey L. Gellner

Applicant(s)

PROSERPIO, CARLO

Art Unit

3643

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment received 20 June 2004.
2. ☒ The allowed claim(s) is/are 1,3,5,8,21,24-27,29,32,49 and 57.
3. ☒ The drawings filed on 01 February 2002 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

### **DETAILED ACTION**

The following is an examiner's statement of reasons for allowance:

The prior art did not disclose or suggest a plastic article, being a container in the form of a flower pot comprising a first plastic portion having a series of protrusions extending therefrom and adjacent to each other, the protrusions being fins with a zigzag pattern in combination with a second plastic portion forming a projecting protuberance on the plastic article having a desired profile, at least some of the protrusions extending into locations of the protuberance that are projected from the plastic article, the protrusions extending from the first plastic portion being contoured to provide a general approximation of the desired profile of the protuberance, the first plastic portion being an inner container portion and the second plastic portion being an outer container portion molded over the inner container portion, the protuberance forming an upper rim of the container.

Also, The prior art did not disclose or suggest a method of forming a plastic article, being a container in the form of a flower pot comprising providing a first plastic portion having a series of protrusions extending therefrom and adjacent to each other, the protrusions being fins with a zigzag pattern, the plastic portion being formed by injection molding in a first mold in combinations with injecting molding a second plastic portion between and over the protrusions of the first plastic portion to form a projecting protuberance on the plastic article of a desired profile, at least some of the protrusions extending into locations of the protuberance that are projected from the plastic article, the first plastic portion being an inner container portion and the

Art Unit: 3643

second plastic portion being an outer container portion molded over the inner container portion, the protuberance being an upper rim of the container.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### *Conclusion*


Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Jeffrey L. Gellner whose phone number is 703.305.0053. The Examiner can normally be reached Monday through Thursday from 8:30 am to 4:00 pm. The Examiner can also be reached on alternate Fridays.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's Supervisor, Peter Poon, can be reached at 703.308.2574. The official fax telephone number for the Technology Center where this application or proceeding is assigned is 703.872.9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703.308.1113.



Jeffrey L. Gellner



JACK KEITH  
PRIMARY EXAMINER  
ACIM SR 3641